

JABRA LINK™ 14201-20



Optimized For

TOSHIBA
Leading Innovation >>>



RING SENSOR FUNCTIONALITY WITH ELECTRONIC HOOK SWITCH CONTROL ON TOSHIBA PHONES.

The Jabra LINK™ 14201-20 EHS Adapter enables ring sensor functionality to the existing Toshiba remote Electronic Hook Switch Control (EHS). This is supported by Jabra wireless headsets on a wide range of Toshiba phones.

This means that users can hear ring tones, answer and end calls, adjust the volume or even mute the call up to 450 ft. away from their desks. The wireless headset allows users to benefit from enhanced mobility and the ability to multitask while on a call. This wireless freedom improves work efficiency and ergonomics throughout the day.

HOW IT WORKS

The EHS Adapter is a plug-and-play solution based on the Jabra Link 20 that adds ring sensor functionality to existing Toshiba EHS. The GN Netcom RHL standard used in Jabra headsets will then provide an audible ringtone for the user.

TOSHIBA COMPATIBILITY

The EHS Adapter is compatible with a wide range of Toshiba phones. For more details see the technical specifications on page 2 or visit www.jabra.com/toshiba.

THE JABRA LINK 14201-20 CAN BE USED WITH THESE JABRA HEADSETS TO PROVIDE HEADSET RINGTONE FUNCTIONALITY



JABRA GN9350/JABRA GN9350e/JABRA GN9330e
Wireless dual-function headset that enables users to switch between PC-based VoIP and a desk phone.



JABRA GN9120 EHS/JABRA GN9125 EHS
Award-winning wireless headset offering up to 300 ft range, three wearing styles, conference call capability and up to 8 hours talk time.

GN Netcom is a world leader in innovative headset solutions. GN Netcom develops, manufactures and markets its products under the Jabra brand name.

A BRAND BY



JABRA® IS A REGISTERED TRADEMARK OF GN NETCOM A/S



WWW.JABRA.COM



JABRA LINK 14201-20




TECHNICAL SPECIFICATIONS

	SPECIFICATIONS	
JABRA EHS ADAPTER	Enables Ring Sensor Functionality with Electronic Hook Switch Control on Toshiba phones with Jabra headsets	
Item number	14201-20	
Length of cables	300 - 600 mm (118.1 - 236.2 inches)	
Certification	CE, FCC, IC, NOM, C-Tick, China, Taiwan, Korea, Japan, Australia	
Warranty	North America: One-year limited warranty.	
COMPATIBILITY		
Toshiba Phones*	DP5022-SD, DP5022-SDM, DP5032-SD, DP5122-SD, DP5130-FSDL, DP5130-SDL, DP5132-SD, IP5022-SD, IP5122-SD, IP5122-SDC, IP5131-SDL, IP5132-SD.	
Jabra Headsets	Jabra GN9120/GN9125 EHS, Jabra GN9120/GN9125 DUO EHS, Jabra GN9350, Jabra GN9350e.	
EHS FEATURES		
Answer call	Yes — Toshiba EHS	
End call	Yes — Toshiba EHS	
Ring tone in headset	Yes — Enabled by Jabra Link	
Volume control	Yes — Jabra headset	
Mute control	Yes — Jabra headset	
Record option	Yes	
	Jabra GN9350e/ Jabra GN9330e EHS Superior sound and light weight comfort	Jabra GN9120 EHS/ Jabra GN9125 EHS Award winning Scandinavian design
Connectivity	 (PC only for Jabra GN9350e)	
Range	Up to 350 feet**	Up to 350 feet**
Boom style	Midi	Flex
Touch screen	No	No
Auto set-up	No	No
Wideband sound	Yes (Jabra GN9350e with USB connection)	No
Noise cancellation	Yes	Yes
Full hearing protection	Yes	No
Wearing styles in box	Headband + earhook + neckband (neckband only for Jabra GN9350e)	Headband + earhook
Conferencing	Yes/ No	Yes
EHS solution	Jabra LINK 14201-20	Jabra LINK 14201-20

* A whole series of EHS adapters are available from GN Netcom supporting GN Netcom RHL interfaces in a wide range of Toshiba phones.

** Range varies according to the environment in which the headset is used. For more information see our EHS Guide on www.jabra.com/toshiba

Optimized For
TOSHIBA
 Leading Innovation >>>

GN US, Inc. • 77 Northeastern Blvd. • Nashua, NH 03062

© 2009 GN US, Inc. All rights reserved. Jabra® is a registered trademark of GN A/S. All other trademarks included herein are the property of their respective owners. (Design and specifications subject to change without notice) Toshiba America Information Systems, Inc. (TAIS) provides information about this third party product/service for the convenience of its customers, but it does not constitute an endorsement thereof. TAIS is not responsible for and disclaims all liability in connection with these third party products/services, except as may be otherwise set forth in the applicable TAIS limited warranty.

DS-200-LINK 14201-20_0510